



Jersey Cover Corp. 1746 Lakewood Road, Toms River, NJ 08755 Phone 732-286-6300 • Fax 732-341-1465 Outside NJ Call 1-800-634-5467 E-mail aquabrella@jerseycover.com

Measuring Guide

MEASURING INSTRUCTIONS

Set-up "A-B" Reference Line

- Reference line must be a minimum of 20 feet long and placed at least 3 feet back from the pool's edge. Line, if extended, must not intersect pool's edge.
- Measurements will be taken from both ends of this line. There cannot be any obstructions between pool and reference line.

Sketch Pool Layout


- Provide a sketch of the pool shape and show "A-B" reference line in relation of pool.
- Locate all special items that exist at pool sight indicated on page 4.
- Provide photographs for all special items such as waterfalls, overhang ing rock formations, raised walls, stepped decks, planters . . . etc.

Mark Pool Edge

- Place chalk marks around the inside edge of the pool. Space these points between 2ft. to 3ft. apart.
- Mark the beginning and end of all special areas, space additional points in these areas 12" apart
- Mark all items within 3 feet of the pool that are not removable.
- Number all points on and around the pool.

Measure Distances

- Measure from each end of "A-B" reference line to each point around the pool.
- Record all distances in the numbered columns. Each numbered point



SKETCH SHAPE OF POOL ON GRID BELOW FILL IN A TO B DISTANCES IN COLUMNS BELOW

PT	Α	В									
1			21			41			61		
2			22			42			62		
3			23			43			63		
4			24			44			64		
5			25			45			65		
6			26			46			66		
7			27			47			67		
8			28			48			68		
9			29			49			69		
10			30			50			70		
11			31			51			71		
12			32			52			72		
13			33			53			73		
14			34			54			74		
15			35			55			75		
16			36			56			76		
17			37			57			77		
18			38			58			78		
19			39			59			79		
20			40			60			80		

SHOW LOCATIONS OF POINTS A & B IN RELATION TO POOL. A TO B = _____

OVERALL LENGTH =	PT TO PT	OVERALL WIDIH =	_PI IO PI	

Additional Information Check List

The check list below refers to items commonly found at pool sights. If the item can be removed, (ex. pool ladder) answer the question "No". For items answered "Yes" which fall within 3 feet of the pool's edge, the cover may need to be designed to go around the object. These items must be noted on your pool sketch and accurate "A-B" measurements taken. Photographs are required for rock formations, waterfalls, raised walls . . . etc.

		Yes	No				Yes	No	
1.	Are there any ladders?			9.	Are any v	walls raised?			
	How far do they extend into the pool?				How far a	above the deck?			
2.	Are there any handrails?				"A-B" din	nensions and photo required.			
	How far do they extend into the pool?			10.	Are there	any waterfalls?			
3.	Are there any grabrails?				"A-B" din	nensions and photo required.			
	How far do they extend into the pool?			11.	Are there	any rock formations?			
4.	Is there a fill spout?				"A-B" din	nensions and photo required.			
	How far does it extend into the pool?			12.	Is deck le	ess than three feet wide?			
5.	Is there a diving board?				Locate a	ll areas on sketch.			
	How far back from the pool edge?			13.	Are there	any planters?			
6.	Is there a diving rock?				Locate a	ll areas on sketch.			
	"A-B" dimensions and photo required.			14.	Are there	any wooden decks?			
7.	Is there a sliding board?				Locate all areas on sketch.				
	"A-B" dimensions required.			15.	Are there	varying deck levels?			
8.	Is there a spa?				"A-B" dimensions and photo required. Any special instructions?				
	Is the spa to be covered?			16.					
	Is the spa raised above the deck?								
	How far above the deck?								
	"A-B" dimensions required.								
	Additional Hardware								
		Qty			_		Qty		
	Standard Deck Anchors					Installation Bar (Plastic)			
	Wood Deck Anchors					Installation Tool (Steel) Grass Stakes			
	Standard Springs Short Springs					Eyebolts _			
	Spring Covers					"D" Rings			
	Hex Key					Wall Clips			
	Tamping Tool				Anchor Masonry Collar				